


FOR REFERENCE ONLY IF PRINTED DRAWING STATUS:
 CAD DATABASE FILENAME: 40-50115

REV.	DESCRIPTION.	DATE.	ECO NO.	BY.
C	Released for Mass Production.	29-Nov-16	N/A	KY Ho
D	Dim changed from 13.5 to 13.0mm for improving the GNSS performance.	24-Oct-17	N/A	KY Ho



NOTES: SCALE 2.000

- MATERIAL : $\varnothing 0.8$ mm MUSIC WIRE
- PLATING: COPPER CLAD
THICKNESS: 8 TO 12 MICRON
- ALL DIMENSIONS ARE IN MILLIMETERS
- CAD CONTROLLED GEOMETRY
- MAX BURR 0.05MM, NO LOOSE BURRS PERMITTED
- PARTS SHALL BE FREE OF LOOSE BURRS, OILS AND DEBRIS.
- NO CHANGE IN MATERIAL AND SHEET THICKNESS IS ALLOWED WITHOUT PRIOR WRITTEN APPROVAL BY EMITS TECHNOLOGY.
- DO NOT SCALE DRAWING.
- PARTS SHALL BE PACKAGED IN A MANNER TO PREVENT BOWING, SCRATCHING OR DAMAGE DURING SHIPMENT (FOR EXAMPLE USE TRAY).
- DIMENSIONS TO THEORETICAL INTERSECTION (TTI).
- ALL MATERIALS, PLATING AND PROCESSES USED TO FABRICATE THE COMPONENT SPECIFIED ON THIS DOCUMENT MUST COMPLY WITH THE RoHS DIRECTIVE 2002/95EC AND GP SS-00259 REQUIREMENTS.

ITEM NO.	QTY.	PART NUMBER	DESCRIPTION	MATERIAL
TOLERANCES (UNLESS SPECIFIED): X.X ±0.1 X.XX ±0.05 ANGLES ±1° CONCENTRICITY ±0.05 PERPENDICULARITY ±0.05 FLATNESS ±0.05 BREAK ALL CORNERS R0.25 MAX (C) INDICATES CRITICAL DIMENSION (SI) INDICATES SPC REQUIRED Cpk < 1.5 REQUIRES CORRECTIVE ACTION DIMENSIONING AND TOLERANCING PER ASME Y14.5M-1994				
EMITS PROPRIETARY - THE DRAWING ON THIS PRINT AND INFORMATION THEREWITH ARE PROPRIETARY TO EMITS, AND SHALL NOT BE DISCUSS IN WHOLE OR IN PART WITHOUT EMITS CONCENT.				
METRIC UNITS = mm 			MATERIAL: SEE NOTES	
DRAWN: KY Ho CHECKED: KY Ho APPROVED: BL Loy			emits Technology Sdn. Bhd. No.2, Lorong Dahlia, Tmn Industri Dahlia, Mak Mandin 13400 Butterworth, Penang, Malaysia.	
			400 - 470 Mhz Spring, HYT 9cm.	
SCALE: 1.000			REV. D	
PART NUMBER: 40-50115			PAGE: 1 OF 1	

PROJECT DATABASE LOCATION: