


FOR REFERENCE ONLY IF PRINTED DRAWING STATUS:
 CAD DATABASE FILENAME:

REV	DESCRIPTION	DATE	BY
A	Released for Production.	31-Oct-19	KY Ho



- NOTES:
- MATERIAL : $\varnothing 0.8$ mm MUSIC WIRE
 - PLATING: COPPER PLATE
THICKNESS: 6 TO 12 MICRON
 - ALL DIMENSIONS ARE IN MILLIMETERS
 - CAD CONTROLLED GEOMETRY
 - MAX BURR 0.05MM. NO LOOSE BURRS PERMITTED
 - PARTS SHALL BE FREE OF LOOSE BURRS, OILS AND DEBRIS.
 - NO CHANGE IN MATERIAL AND SHEET THICKNESS IS ALLOWED WITHOUT PRIOR WRITTEN APPROVAL BY EMITS TECHNOLOGY.
 - DO NOT SCALE DRAWING.
 - PARTS SHALL BE PACKAGED IN A MANNER TO PREVENT BOWING, SCRATCHING OR DAMAGE DURING SHIPMENT (FOR EXAMPLE USE TRAY).
 - DIMENSIONS TO THEORETICAL INTERSECTION (TTI).
 - ALL MATERIALS, PLATING AND PROCESSES USED TO FABRICATE THE COMPONENT SPECIFIED ON THIS DOCUMENT MUST COMPLY WITH THE RoHS DIRECTIVE 2002/95/EC AND GP SS-00259 REQUIREMENTS.

CONTROLLED COPY
 DATE: 31-OCT-19

UNLESS OTHERWISE SPECIFIED TOLERANCES: X.X ±0.1 X.XX ±0.05 ANGLES ±1° BREAK ALL CORNERS R0.1 MAX.		EMITS PROPRIETARY - THE DRAWING ON THIS PRINT AND INFORMATION THEREWITH ARE PROPRIETARY TO EMITS, AND SHALL NOT TO BE DISCUSS IN WHOLE OR IN PART WITHOUT EMITS CONCENT.		MATERIAL: SEE NOTES	
Ⓢ INDICATES SPC REQUIRED Cp < 1.5 REQUIRES CORRECTIVE ACTION		METRIC UNITS = mm		SEE NOTES	
Ⓢ INDICATES CRITICAL DIMENSION		DRAWN KY Ho CHECKED BL Loy		FINISH: SEE NOTES	
DIMENSIONING AND TOLERANCING PER ASME Y14.5M-1994		ME KY Ho		TITLE: Inner Spring 320-380MHz, PT350 UHF 9cm	
		MFG TOOLING		SCALE: 5.000 REV. A DRAWING NUMBER: SPR301809218	
				PAGE: 1 OF 1	

HYT	40-50135		
PROJECT CODE	PART NUMBER	NEXT ASSEMBLY	USED ON