



FOR REFERENCE ONLY IF PRINTED	DRAWING STATUS:
CAD DATABASE FILENAME: INNER_SPRING_400-470MHZ	

REV.	DESCRIPTION.	DATE.	ECO NO.	BY.
A	Released for Production.	31-Oct-19	N/A	KY Ho



CONTROLLED COPY
DATE: 31-OCT-19



NOTES:

1. MATERIAL : $\varnothing 0.8$ mm MUSIC WIRE
2. PLATING: COPPER PLATE
THICKNESS: 6 TO 12 MICRON
3. ALL DIMENSIONS ARE IN MILLIMETERS
4. CAD CONTROLLED GEOMETRY
5. MAX BURR 0.05MM. NO LOOSE BURRS PERMITTED
6. PARTS SHALL BE FREE OF LOOSE BURRS, OILS AND DEBRIS.
7. NO CHANGE IN MATERIAL AND SHEET THICKNESS IS ALLOWED WITHOUT PRIOR WRITTEN APPROVAL BY EMIT TECHNOLOGY.
8. DO NOT SCALE DRAWING.
9. PARTS SHALL BE PACKAGED IN A MANNER TO PREVENT BOWING, SCRATCHING OR DAMAGE DURING SHIPMENT (FOR EXAMPLE USE TRAY).
10. DIMENSIONS TO THEORETICAL INTERSECTION (TTI).
11. ALL MATERIALS, PLATING AND PROCESSES USED TO FABRICATE THE COMPONENT SPECIFIED ON THIS DOCUMENT MUST COMPLY WITH THE RoHS DIRECTIVE 2002/95EC AND GP SS-00259 REQUIREMENTS.

PROJECT DATABASE LOCATION:

ITEM NO.	QTY.	PART NUMBER	DESCRIPTION	MATERIAL
TOLERANCES (UNLESS SPECIFIED): X.X ±0.1 X.XX ±0.05 ANGLES ±1° CONCENTRICITY ±0.05 PERPENDICULARITY ±0.05 FLATNESS ±0.05 BREAK ALL CORNERS R0.25 MAX (C) INDICATES CRITICAL DIMENSION (SI) INDICATES SPC REQUIRED Cpk < 1.5 REQUIRES CORRECTIVE ACTION DIMENSIONING AND TOLERANCING PER ASME Y14.5M-1994				
EMITS PROPRIETARY - THE DRAWING ON THIS PRINT AND INFORMATION THEREWITH ARE PROPRIETARY TO EMITS, AND SHALL NOT TO BE DISCUSS IN WHOLE OR IN PART WITHOUT EMITS CONCENT.				
METRIC UNITS = mm 			MATERIAL: SEE NOTES	
DRAWN: KY Ho CHECKED: KY Ho APPROVED: BL Loy			Emits Technology Sdn. Bhd. Plot 24 hilir Sungai Keluang 3, Fasa 4, Bayan Lepas Free Industrial Zone, 11900 Penang, Malaysia.	
Inner Spring 400-475Mhz, PT350 UHF 9cm				A4 SIZE
SCALE: 1.000	REV: A	PART NUMBER: SPR301809219	PAGE: 1 OF 1	